



## Chameleon 2.0 Users Guide

Revision 0.4

### Table of Contents

Introduction	Page 2
Running the Installer	Page 3
Custom Install	Page 4
Advanced Options	Page 6
Boot.plist configuration	Page 7
Custom boot.plist variables	Page 6
Themes	Page 8
Screen Layout	Page 9
Boot devices	Page 8
Boot prompt	Page 9
Info box	Page 10
Menu	Page 11
Boot display	Page 12

## Introduction

Chameleon 2.0 the latest version of the Chameleon boot loader for OS X on X86 hardware. It is an EFI boot loader that is designed to replace the Darwin and PC\_EFI boot loaders. It has several new features including:

- Graphical User Interface mode
- Customizable Images
- Support for GPT/MBR partition types
- RAID support



Chameleon can be installed on any BIOS bootable device such as USB flash drives, hard drives, and of course off a cd-rom.


## Installing Chameleon

Chameleon 2.0 includes it's own installer package which will install the required boot loader components as well as the new themes onto a hard drive or other bootable device. Once the install is complete you will need to reboot your computer to use the new boot loader features

To get started, double click on the Chameleon Installer.




Click “Continue” and you will be given the option of selecting, “Install” using the default settings, “Customize” to pick addition options or “Change Install Location” to pick a different volume to install to.



## Custom Install

If you select Customize you have the option of selecting different themes or variables to be passed at boot time to the kernel



### Options

EHClacquire	Can fix some rare USB issues on boot.
ForceWake	Cleans the hibernate image on resume
GUI	GUI bootloader on or off
UHClreset	Reset USB for some rare USB issues on boot

### Themes

Default theme and Twilight are offered as for you to use

### Extras

Kexts for AHCI and Intel PIIXATA will get installed into /Extra

## Finishing Chameleon install



If you see this screen, you're done with the install and everything has installed. All you need to do now is reboot and watch your computer load the new Chameleon and enjoy the extra features that it has over the previous versions!

## Booting

Chameleon is setup to automatically boot your operating system with the default settings but has the ability to pass variables to the kernel. You can pass startup options to the kernel by pressing any key when you see the boot logo and the type them to be sent to the operating system after you hit enter.

## Advanced Options

Advanced startup options use the following syntax:

[device]<kernel> [arguments]

Example arguments include

device: rd= device name> rd=\*<IODeviceTree path>

(Device name sample rd=/dev/disk0s2)

(Device tree sample rd=\*/PCI0@0/CHN0@0/@0:1)

Kernel: Sometimes you need to use a different kernel for testing, or you need to use the old one after an install that didn't work the way you wanted it too =)

kernel: kernel name

Example: mach\_kernel.voodoo

Flags allow you pass arguments without having to make them a permanent config settings.

Examples of valid flags are:

-f This forces rebuilding of extensions cache

-s Boots into a single user command line mode

-v Verbose, boots in text mode showing all debug info and errors

-x Boots into safe mode

"Graphics Mode"="1024x768x32" : Tells VESA to boot with this resolution, the x32 is bit depth and is only compatible with VESA 3.0 and up

rd=disk0s1: Tells Darwin to boot from a certain partition specified in BSD format. Disk 0 specifies first HDD and s1 specifies first partition as 0 is the MBR.

cpus=1: Tells the system how many CPUs or cores to use, useful for Core Duo users.

platform=X86PC: Can be used if problems with normal booting,

platform=ACPI: another option if normal booting fails

-legacy - Boots OS X in 32bit mode rather than 64bit if 64bit is used due to a 64bit processor

idehalt=0 - May stop stuttering

kernel debug flags

(e.g. debug=0x144) io=0xffffffff defined in IOKit/IOKitDebug.h)

Example: mach\_kernel rd=disk0s1 -v "Graphics Mode"="1024x768x32@85"

If the computer won't start up properly, you may be able to start it up using safe mode. Use the startup command “-x” to start up in safe mode, which ignores all cached driver files.

Example: -x -v

Special booter commands:

?memory Displays information about the computer's memory  
?video Displays VESA video modes supported by the computer's BIOS.  
?norescan Leaves CD-ROM rescan mode.

Additional useful command-line options:

config=<file> Use an alternate Boot.plist file.

## Boot.plist

Options useful in the com.apple.Boot.plist file:

"Boot Graphics"=Yes No	Use graphics mode or text mode when starting.
"Quiet Boot"=Yes No	Use quiet boot mode (no messages or prompt).
Timeout=8	Number of seconds to pause at the boot: prompt.
"Instant Menu"=Yes	Force displaying the partition selection menu.
GUI=No	Disable the GUI (enabled by default).
USBBusFix=Yes	Enable the EHCI and UHCI fixes (disabled by default).
EHCIfacquire=Yes	Enable the EHCI fix (disabled by default).
UHCIfreset=Yes	Enable the UHCI fix (disabled by default).
Wake=No	Disable wake up after hibernation (enabled by default).
ForceWake=Yes	Force using the sleepimage (disabled by default).
WakelImage=<file>	Use an alternate sleepimage file (default path is /private/var/vm/sleepimage).
DropSSDT=Yes	Skip the SSDT tables while relocating the ACPI tables.
DSDT=<file>	Use an alternate DSDT.aml file (default paths are /DSDT.aml or /Extra/DSDT.aml).
Rescan=Yes	Enable CD-ROM rescan mode.
"Rescan Prompt"=Yes	Prompts for enable CD-ROM rescan mode.

## Themes

Chameleon 2 lets you create or customize the boot loader themes! You can edit the file in /Extra/Themes/Default/theme.plist. The following variables are changeable in the theme.plist to customize your theme.

### Images and Color

Chameleon 2 has user replaceable images, and colors that you can customize. The images are saved in the /Extra/Themes/Default folder. All images must be in .png format .

You can change the color of all the text and other widgets by using RGB color codes. Below is a basic color code chart but the full RGB color pallet is supported.

Color	Hexadecimal
Black	#000000
White	#FFFFFF
Red	#FF0000
Green	#00C000
Blue	#0000FF
Yellow	#FFFF00

### Screen

Set the display dimensions to use when in the graphic user interface, will attempt to find the closest one available.

#### screen\_width

```
<key>screen_width</key>
<string>1024</string>
```

1024 pixels wide screen

#### screen\_height


```
<key>screen_height</key>
<string>768</string>
```

768 pixels high screen

#### screen\_bgcolor

```
<key>screen_bgcolor</key>
<string>#222334</string>
```

web format #RRGGBB



The Chameleon screen layout

## Background

Set the position of background.png within the screen

**background\_pos\_x**

```
<key>background_pos_x</key>
<string>-0</string>
```

0 pixels from reverse origin along the x axis

**background\_pos\_y**

```
<key>background_pos_y</key>
<string>-0</string>
```

0 pixels from reverse origin along the y axis

## Logo

Set the position of logo.png within the screen

### logo\_pos\_x

<key>logo_pos_x</key>	
<string>0</string>	0 pixels from origin along the x axis

### logo\_pos\_y

<key>logo_pos_y</key>	
<string>0</string>	0 pixels from origin along the y axis

## Devices

Set the position of the device list within the screen

### devices\_pos\_x

<key>devices_pos_x</key>	
<string></string>	blank to center on the x axis

### devices\_pos\_y

<key>logo_pos_y</key>	
<string></string>	blank to center on the y axis

### devices\_max\_visible

<key>devices_max_visible</key>	
<string>4</string>	maximum number of devices visible

### devices\_icon\_spacing

<key>devices_icon_spacing</key>	
<string>20</string>	spaces between the drive icons

### devices\_layout

<key>devices_layout</key>	
<string>horizontal</string>	horizontal or vertical list

### devices\_bgcolor

<key>devices_bgcolor</key>	
<string>#000000</string>	web format #RRGGBB

### devices\_transparency

<key>devices_transparency</key>	
<string>128</string>	0 (Opaque) -> 255 (Transparent)

## Boot prompt

Set the position of the boot prompt within the screen

### bootprompt\_pos\_x

<key>bootprompt\_pos\_x</key>  
<string></string> blank to center on the x axis

### bootprompt\_pos\_y

<key>bootprompt\_pos\_y</key>  
<string></string> blank to center on the y axis

### bootprompt\_width

<key>bootprompt\_width</key>  
<string>-20</string> 20 pixels less than the screen's width window

### bootprompt\_height

<key>bootprompt\_height</key>  
<string>20</string> 20 pixel high window

### bootprompt\_textmargin\_h

<key>bootprompt\_textmargin\_h</key> 8 pixel horizontal text margin left and right  
<string>8</string>

### bootprompt\_textmargin\_v

<key>bootprompt\_textmargin\_v</key> 4 px vertical text margin both top and bottom  
<string>4</string>

### bootprompt\_bgcolor

<key>bootprompt\_bgcolor</key>  
<string>0x333445</string> web format #RRGGBB

### bootprompt\_transparency

<key>bootprompt\_transparency</key>  
<string>0</string> 0 (Opaque) -> 255 (Transparent)

## Info box

Set the position of the info box within the screen

### infobox\_pos\_x

<key>infobox\_pos\_x</key>  
<string></string> blank to center on the x axis

### infobox\_pos\_y

<key>infobox\_pos\_y</key>  
<string></string> blank center on the y axis

### infobox\_width

<key>infobox\_width</key>  
<string>550</string> 550 pixels wide

### infobox\_height

<key>infobox\_height</key>  
<string>406</string> 406 pixels high

### infobox\_bgcolor

<key>infobox\_bgcolor</key>  
<string>#333445</string> web format #RRGGBB

### infobox\_transparency

<key>infobox\_transparency</key>  
<string>64</string> 0 (Opaque) -> 255 (Transparent)

## Menu

Set the position of the pop up menu within the screen

### menu\_pos\_x

```
<key>menu_pos_x</key>
<string></string> center on the x axis
```

### menu\_pos\_y

```
<key>menu_pos_y</key>
<string></string> center on the y axis
```

### menu\_bgcolor

```
<key>menu_bgcolor</key>
<string>#111223</string> web format #RRGGBB
```

### menu\_transparency

```
<key>menu_transparency</key>
<string>0</string> 0 (Opaque) -> 255 (Transparent)
```

## Boot Display

Set the display dimensions to use when booting the kernel, will attempt to find the closest one available.

### boot\_width

```
<key>boot_width</key>
<string>1280</string> 1280 pixels wide screen
```

### boot\_height

```
<key>boot_height</key>
<string>1024</string> 1024 pixels tall screen
```

## Getting in touch

Chameleon homepage: <http://chameleon.osx86.hu/>  
E-mail : <http://chameleon.osx86.hu/contact>

*Hope you guys like the bootloader! We appreciate your feedback and support*